	Hits	Search Text	DBs
1	82188	((authoriz\$5 or privilege\$1 or access\$4) with (level\$1 or	·
2		((authoriz\$5 or privilege\$1 or access\$4) near5 (level\$1 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	26002	l6 and @ad < "20010713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	387	l7 and (donor\$1 or donat\$4 or fund\$1rais\$4 or charit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	6	or executives1 or bosss3 or director\$1 or administrator\$1 or supervisor\$1) with (donor\$1 or donat\$4 or fund\$1rais\$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6		((authoriz\$5 or privilege\$1 or access\$4) near9 (level\$1 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	6	l10 and l11 .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hit	Search Text	DBs
	s	(/	
1	5	hierarch\$5) with (campaign\$1 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	8	((creat\$5 or establish\$5 or build\$5 or structur\$4 or generat\$5 or form\$5) with (tree\$1 or hierarch\$5) with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	S4 and manager\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	S4 and donor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hit s	Search Text	DBs
5	5	S3 and @ad < "20010713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	4	(("5909794") or ("20010037275") or ("20020091538") or ("20020073026")).PN.	US-PGPUB; USPAT
7	5	(("20010051875") or ("20020091538") or ("20050240433") or ("20050159976") or ("20020080175")).PN.	US-PGPUB; USPAT